

Version No: 1

Issue date: 29/APR/2024
Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Revision date: Not Applicable

SECTION 1. Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

Product name	Elution Buffer
Synonyms	Not Available
Other means of identification	Not Available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Laboratory use.
Uses advised against	Not Applicable

1.3. Details of the manufacturer or supplier of the safety data sheet

1.5. Dotallo of the manufacture of supplies of the outer, which can be outer, which can be outer, and the outer	
Registered company name	CleanNA
Address	Coenecoop 75, 2741 PH, Waddinxveen, The Netherlands
Telephone	+31 (0) 182 22 33 50
Fax	+31 (0) 182 22 33 98
Website	www.cleanna.com
Email	info@cleanna.com

1.4. Emergency telephone number

• • •		
Emergency telephone numbers	112 (European emergency number)	

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments

Not Applicable

2.2. Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Elution Buffer 2 of 11 Date: 29/APR/2024

2.3. Other hazards

REACH – Art. 57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS issue date.

SECTION 3. Composition / information on ingredients

3.1 Substances

See 'Composition on ingredients' in Section 3.2

3.2 Mixtures

1. CAS No 2. EC No 3. Index No 4. REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 77-86-1 2. 201-064-4 3. Not Available 4. Not Available	0.1 - 1	Tris (hydroxymethyl) aminomethane	Skin Corrosion/Irritation – Category 2 Serious Eye Damage/Eye Irritation – Category 2 Specific Target Toxicity – Single Exposure (Respiratory Tract Irritation – Category 3 H315, H319, H335 ¹	Not Available	Not Available
Legend:	2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties				

SECTION 4. First aid measures

Eye Contact	If this product comes in contact with eyes: ► Wash out immediately with water. ► If irritation continues, seek medical attention. ► Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 ▶ If fumes, aerosols or combustion products are inhaled remove from contaminated area. ▶ Other measures are usually unnecessary.
Ingestion	 ► Immediately give a glass of water. ► First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5. Firefighting measures

5.1 Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

5.2 Special hazards arising from the substrate or mixture

Fire Incompatibility	None known	
5.3. Advice for firefighters		
Fire Fighting	 Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 	
Fire/Explosion Hazard	 Non- combustible. Not considered a significant fire risk, however containers may burn. 	

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See section 8

6.2 Environmental precautions

Elution Buffer 3 of 11 Date: 29/APR/2024

6.3 Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 ▶ Clear area of personnel and move upwind. ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Control personal contact with the substance, by using protective equipment. ▶ Prevent spillage from entering drains, sewers or water courses. ▶ Recover product wherever possible. ▶ Put residues in labelled containers for disposal. ▶ If contamination of drains or waterways occurs, advise emergency services.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7. Handling and storage

7.1. Precautions for safe handli Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS.
	▶ Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Fire and explosion protection	See section 5
Other information	None known

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	 ▶ Polyethylene or polypropylene container. ▶ Packing as recommended by manufacturer. ▶ Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid contamination of water, foodstuffs, feed or seed.
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not available

7.3. Specific end use(s)

See section 1.2

Elution Buffer 4 of 11 Date: 29/APR/2024

SECTION 8. Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker			PNECs Compartment
	Dermal	166.7 mg/kg bw/day	(Systemic, Chronic)	
	Inhalation	117.5 mg/m ³	(Systemic, Chronic)	
Tris (hydroxymethyl) aminomethane	Dermal	83.3 mg/kg bw/day	(Systemic, Chronic)	300 mg/L (STP)
	Inhalation	29 mg/m ³	(Systemic, Chronic)	
	Oral	8.3 mg/kg bw/day	(Systemic, Chronic)	

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
Tris (hydroxymethyl) aminomethane	18 mg/m ³	190 mg/m³	1,200 v

Ingredient	Original IDLH	Revised IDLH
Tris (hydroxymethyl) aminomethane	Not Available	Not Available

Occupational Exposure Banding

Ingredient	Occupational Exposure Band rating Occupational Exposure Band Limit			
Tris (hydroxymethyl) aminomethane	E <= 0.01 mg/m ³			
Notes;	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.			

8.2. Exposure controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

Geneal exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying 'escape' velocities which, in turn, determine the 'capture velocities' of fresh circulating air required to effectively remove the contaminant.

Type of contaminant

Solvent, vapours, degreasing etc. evaporating from tank (in still air)

0.25 - 0.5 m/s (50 - 100 f/min) 0.5 - 1 m/s (100 - 200 f/min)

Aerosols, fumes form pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)

1 - 2.5 m/s (200 - 500 f/min)

Air Speed

Direct spray, spray painting in shallow boots, drum filling, conveyer loading, crusher debts, gas discharge (active generation into zone of rapid air motion)

w.5 - 10 m/s (500 - 200 f/min)

Grinding, abrasive blasting, tumbling, high speed generated dusts (released at high velocity into zone of very high rapid air motion)

Within each range the appropriate value depends to:

Upper end of range 1: Room air currents minimal of favourable to capture

1: Disturbing room air currents

2: Contaminants of high toxicity

2: Contaminants of low toxicity or of nuisance value only

3: Intermittent, low production

3: High Production, heavy use

4: Large hood or large air mass in motion

4: Small hood - local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

8.2.2. Personal protection

Eye and face protection

8.2.1 Appropriate engineering

controls







- Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard: soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption

for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

Skin protection

See Hand protection below

Wear general protective gloves, e.g. light weight rubber gloves.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:

- · frequency and duration of contact,
- chemical resistance of glove material,
- · glove thickness and
- · dexterity

Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).

- · When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
- · When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.

Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.

Hand / feet protection

· Contaminated gloves should be replaced.

As defined in ASTM F-739-96 in any application, gloves are rated as:

- \cdot Excellent when breakthrough time > 480 min
- · Good when breakthrough time > 20 min
- · Fair when breakthrough time < 20 min
- · Poor when glove material degrades

For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.

It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times.

Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers technical data should always be taken into account to ensure selection of the most appropriate glove for the task.

Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:

- Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
- · Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential

Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

Body protection

See Other protection below

No special equipment needed when handling small quantities.

Other protection

- OTHERWISE:

 Overalls.
- ▶ Barrier cream
- ▶ Eyewash unit

8.2.3. Environmental exposure controls

See section 12

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Not Available		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available

Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10. Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11. Toxicological information

pregnancy.

	· · · · · · · · · · · · · · · · · · ·		
models). Nevertheless, good hygiene practice requires that exposure be ke	· · · · · · · · · · · · · · · · · · ·		
	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting		
The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.			
The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).			
Long-term exposure to the product is not thought to produce chronic effect models); nevertheless exposure by all routes should be minimised as a m	, , , , , , , , , , , , , , , , , , , ,		
TOXICITY	IRRITATION		
Not Available	Not Available		
TOXICITY	IRRITATION		
Dermal (rat) LD50 > 5000 mg/kg ¹	Eye: no adverse effect observed (not irritating) ¹		
Oral (rat) LD50 > 5000 mg/kg ¹	Skin: no adverse effect observed (not irritating) ¹		
Value obtained from Europe ECHA Registered Substances - Acute toxic specified data extracted from RTECS - Register of Toxic Effect of chemical contents.	•		
Asthma-like symptoms may continue for months or even years after exposure non-allergic condition known as reactive airways dysfunction syndrome (RAI irritating compound. Main criteria for diagnosing RADS include the absence onset of persistent asthma-like symptoms within minutes to hours of a docul RADS include a reversible airflow pattern on lung function tests, moderate testing, and the lack of minimal lymphocytic inflammation, without eosinophil infrequent disorder with rates related to the concentration of and duration of bronchitis is a disorder that occurs as a result of exposure due to high concreversible after exposure ceases. The disorder is characterized by difficulty by	DS) which can occur after exposure to high levels of highly of previous airways disease in a non-atopic individual, with sudden mented exposure to the irritant. Other criteria for diagnosis of o severe bronchial hyperreactivity on methacholine challenge lia. RADS (or asthma) following an irritating inhalation is an exposure to the irritating substance. On the other hand, industrial centrations of irritating substance (often particles) and is completely		
	The material is not thought to produce adverse health effects or skin irritar models). Nevertheless, good hygiene practice requires that exposure be ke setting. Although the liquid is not thought to be an irritant (as classified by EC Dire characterised by tearing or conjunctival redness (as with windburn). Long-term exposure to the product is not thought to produce chronic effect models); nevertheless exposure by all routes should be minimised as a not an exposure to the product is not thought to produce chronic effect models); nevertheless exposure by all routes should be minimised as a not an exposure for a constant of the product is not thought to produce chronic effect models); nevertheless exposure by all routes should be minimised as a not a constant of the product of the product is not a constant of the product in the product of the product is not a constant of the product in the product of the product is not the product of the product of the product in the product in the product of the product in the product of the		

TRIS AMINO and its surrogate chemicals have very little, if any, toxicity. They are mildly irritating to eyes at moderate concentrations, and do not cause allergic skin reactions. Ingestion of relatively high dosages can cause liver changes. Patients with decreased liver function should not be given these substances over extended treatment periods. They have been known to have a harmful effect on the foetus if taken during



Carcinogenicity
Reproductivity
X
STOT - Single Exposure
X
STOT - Repeated Exposure
Aspiration Hazard

Legend: X — Data either not available or does not fill the criteria for classification

– Data available to make classification

11.2. Information on other hazards

1. Endocrine Disruption Properties

Not Available

2. Other Information

See Section 11.1

SECTION 12. Ecological information

12.1 Toxicity

	Endpoint	Test duration (hr)	Species	Value	Source
Elution Buffer	Not available	Not available	Not available	Not available	Not available
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	72	Algae or other aquatic plants	100 mg/L	2
Tris (hydroxymethyl) aminomethane	EC50	72	Algae or other aquatic plants	397 mg/L	2
	Ec50	48	Crustacea	> 980 mg/L	2
Legend:	Extracted from	1. IUCLID Toxicity Data 2. Eu	rope ECHA Registered Substances - Ecotoxicolo	gical Information - Aquatic Toxicity	4. US EPA,
		, ,	CETOC Aquatic Hazard Assessment Data 6. NITE	E (Japan) - Bioconcentration Data 7.	METI (Japan)
	- Bioconcentrat	ion Data 8. Vendor Data			

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
Tris (hydroxymethyl) aminomethane	LOW	LOW

12.3. Bio accumulative potential

Ingredient	Bioaccumulation
Tris (hydroxymethyl) aminomethane	LOW (LogKOW = -1.5606)

12.4. Mobility in soil

Ingredient	Mobility
Tris (hydroxymethyl) aminomethane	HIGH (KOC = 1)

12.5. Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT	X	×	X
vPvB	×	×	×
PBT Criteria fulfilled?			
vPvB	No		

12.6. Endocrine Disruption Properties

Not Available

12.7. Other adverse effects

Not Available

Elution Buffer 8 of 11 Date: 29/APR/2024

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- ▶ Reuse
- Recycling
- ► Disposal (if all else fails)

Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- ▶ It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- ► Recycle wherever possible.
- ► Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Waste treatment options

ns Not Available

Sewage disposal options Not Available

SECTION 14 Transport information

Labels Required

Marine Pollutant

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS					
14.1. UN number	Not Applicable	Not Applicable			
14.2. UN proper shipping name	Not Applicable				
14.3. Transport hazard class(es)	Class Not Applicable Sub risk Not Applicable				
14.4. Packing group	Not Applicable				
14.5. Environmental hazard	Not Applicable				
	Hazard identification (Kemler)	Not Applicable			
	Classification code	Not Applicable			
14.6. Special precautions for	Hazard Label	Not Applicable			
user	Special provisions	Not Applicable			
	Limited quantity	Not Applicable			
	Tunnel Restriction Code	Not Applicable			

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable				
14.2. UN proper shipping name	Not Applicable				
	ICAO/IATA Class	Not Applicable			
14.3. Transport hazard	ICAO / IATA Sub risk	Not Applicable			
class(es)	ERG Code	Not Applicable			
14.4. Packing group	Not Applicable				
14.5. Environmental hazard	Not Applicable				
	Special provisions		Not Applicable		
	Cargo Only Packing Instructions		Not Applicable		
	Cargo Only Maximum (Qty / Pack	Not Applicable		
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		Not Applicable		
	Passenger and Cargo Maximum Qty / Pack		Not Applicable		
	Passenger and Cargo Limited Quantity Packing Instructions		Not Applicable		
	Passenger and Cargo Limited Maximum Qty / Pack		Not Applicable		

Elution Buffer 9 of 11 Date: 29/APR/2024

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	IMDG Class Not Applicable IMDG Sub risk Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number Not Applicable Special provisions Not Applicable Limited Quantities Not Applicable		

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Not applicable	Not Applicable	
14.4. Packing group	Not applicable		
14.5. Environmental hazard	Not applicable		
	Classification code	Not Applicable	
	Special provisions	Not Applicable	
14.6 Special precautions for user	Limited quantity	Not Applicable	
	Equipment required	Not Applicable	
	Fire cones number	Not Applicable	

14.7. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.8. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group		
Tris (hydroxymethyl) aminomethane	Not Available		

14.9. Transport in bulk in accordance with the ICG Code

Product name	Ship Type	
Tris (hydroxymethyl) aminomethane	Not Available	

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Tris (hydroxymethyl) aminomethane is found on the following regulator lists

Europe EC Inventory	FEI Equine Prohibited Substances List – Controlled Medication
European Union – European Inventory of Existing Commercial Chemical Substances (EINICS)	FEI Equine Prohibited Substances List 9ESPL)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

ECHA SUMMARY

Ingredient		CAS number	Index No.		ECHA Dossie	er
Tris (hydroxymethyl) ami	nomethane	77-86-1	Not Available		Not Available	
Harmonisation (C&L Inventory)	Hazard C	lass and Category Code(s)		Pictograms Signal Word	Code(s)	Hazard Statement Code(s)
1	Skin Irrit.	2, Eye Irrit. 2 STOT SE 3		GHS07, Wng		H315, H319, H335
2	Skin Irrit. 2	, Eye Irrit. 2A, STOT SE 3, Ad	cute Tox 4, Acute Tox 4	GHS07, Wng		H312, H315, H319, H332, H335
Harmonisation Code	1 = The mos	st prevalent classification				
	2 = The mos	st sever classification				

Elution Buffer 10 of 11 Date: 29/APR/2024

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (Tris (hydroxymethyl) aminomethane)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16. Other information

Full text Risk and Hazard codes

H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

Version Summary

Version	Date of Update	Sections Updated
1	29/APR/2024	Initial version

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered. For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

AIIC BCF: Australian Inventory of Industrial Chemicals

Bio Concentration Factors BEI Biological Exposure Index DSI Domestic Substances List

European INventory of Existing Commercial chemical Substances European List of Notified Chemical Substances **EINECS**

ELINCS **ENCS** Existing and New Chemical Substances Inventory

ES Exposure Standard

FBEPH Russian Register of Potentially Hazardous Chemical and Biological Substances

IARC International Agency for Research on Cancer IECSC Inventory of Existing Chemical Substance in China IDI H Immediately Dangerous to Life or Health Concentrations Inventario Nacional de Sustancias Químicas

INSO Korea Existing Chemicals Inventory
Lowest Observed Adverse Effect Level KECI: LOAEL

Limit Of Detection LOD

NCI National Chemical Inventory NDSL Non-Domestic Substances List

NLP No-Longer Polymers NOAEL No Observed Adverse Effect Level New Zealand Inventory of Chemicals NZIoC:

Odour Safety Factor OSF OTV Odour Threshold Value Permissible Concentration

PC-STEL Permissible Concentration Short Term Exposure Limit

Philippine Inventory of Chemicals and Chemical Substances Short Term Exposure Limit Taiwan Chemical Substance Inventory Temporary Emergency Exposure Limit Threshold Limit Value Toxic Substances Control Act Time Weighted Average

PICCS STEL TCSI TEEL TLV TSCA TWA